

Table of Contents

Chapter 1

Introduction to Water Distribution I

1.1 Water as a Limited Resource	2
1.2 The Water Supply System	3
1.2.1 Sources of Water	4
1.2.1.1 Ocean Water	4
1.2.1.2 Surface Water	6
1.2.1.3 Groundwater	7
1.2.1.4 Reclaimed Water	8
1.2.2 Storage Facilities	9
1.2.3 Treatment Facilities	9
1.2.3.1 Water Treatment	10
1.2.4 Distribution Systems	10
1.3 Water Quality Standards	12
1.4 Water Quality in Distribution Systems	15
1.4.1 Water Quality Complaints	16
1.5 Contaminants and Their Sources	18
1.5.1 Supplied Water Quality	19
1.5.2 Water Quality Degradation	20
1.5.2.1 Water Mains	24
1.5.2.2 Storage Facilities	26
1.5.3 Water Quality Monitoring	27
1.6 Protecting Water Quality Through O&M	28
1.7 Distribution System Operators	29
1.7.1 Operation and Maintenance	30
1.7.2 Supervision and Administration	30
1.7.3 Public Relations	31
1.7.4 Safety	32
1.8 Math Assignment	33

1.9 Additional Resources	33
---------------------------------	-----------

Chapter Review	34
-----------------------	-----------

Chapter 2

Water Storage Facilities 37

2.1 Purpose of Storage Facilities	38
2.2 Types of Storage Facilities	40
2.2.1 Clear Wells	42
2.2.1.1 Elevated Tanks	42
2.2.1.2 Standpipes	42
2.2.1.3 Ground-Level Reservoirs	43
2.2.2 Hydro-Pneumatic or Pressure Tanks	43
2.2.3 Surge Tanks	43
2.2.4 Surge Protection	44
2.3 Selection and Location of Storage Facilities	45
2.4 Storage Tank Operation	46
2.4.1 Storage Levels	48
2.4.2 Storage Level Controls	51
2.4.3 Pumps	52
2.4.4 Sampling	54
2.4.5 Troubleshooting	54
2.5 Maintenance	56
2.5.1 Inspection	56
2.5.2 Cleaning	58
2.5.3 Painting	58
2.5.4 Corrosion Control	61
2.5.5 Disinfection	64
2.5.6 Concrete Storage Facilities	68
2.5.7 Frozen Distribution Reservoirs	68

2.6 Booster Pumps, Regulator Stations, and Gauges 70

2.7 Records 74

2.8 Safety 74

2.9 Math Assignment 75

2.10 Additional Resources 75

Chapter Review 76

Chapter 3

Distribution System Facilities 79

3.1 Delivering Water 80

3.2 Hydraulics 81

3.3 Performance Considerations 86

3.4 Water Transmission Systems 90

3.5 Distribution Storage 90

3.5.1 Location 91

3.5.2 Types of Storage 91

3.5.3 Preventing Contamination 93

3.6 Storage and Booster Pumping 93

3.7 Water Mains and Appurtenances 94

3.7.1 Pipe Types 97

3.7.1.1 Types of Service Pipe 101

3.7.2 Joints 102

3.7.3 Pipe Protection 107

3.7.4 Pipe Installation 108

3.7.4.1 Locating Nearby Utility Lines 109

3.7.4.2 Water and Sewer Line Separation 109

3.7.4.3 Storage and Handling 109

3.7.4.4 Excavation and Shoring 111

3.7.4.5 Pipe Laying and Jointing 120

3.7.4.6 Thrust Blocks 123

3.7.4.7 Backfilling 124

3.7.4.8 Pressure and Leakage Tests 125

3.7.4.9 Main Disinfection 129

3.7.4.10 Safety 130

3.7.5 Pipe Extensions 131

3.7.6 Appurtenances 132

3.7.6.1 Valves 132

3.7.6.2 Fittings 142

3.7.6.3 Hydrants 143

3.8 Meters 146

3.8.1 Displacement Meters 147

3.8.2 Velocity-Type Meters 149

3.8.3 Compound Meters 150

3.8.4 Electronic Meters 151

3.8.5 Proportional Meters 151

3.9 Service Connections 152

3.9.1 Installation 153

3.9.2 Backflow Prevention Devices 155

3.10 Math Assignment 162

3.11 Additional Resources 163

Chapter Review 164

Chapter 4

Operation and Maintenance 167

4.1 Need for System Operation and Maintenance 168

4.2 System Surveillance 169

4.2.1 Treated Water Storage Facilities 169

4.2.2 Mains 171

4.2.3 Valves and Blowoffs 171

4.2.4 Meters and Curb Boxes 171

4.2.5 Preventing Vandalism 172

4.2.6 Telemetry 173

4.2.7 Other Surveillance 173

4.3 Water Quality Monitoring 173

4.3.1 Monitoring Program 174

4.3.2 Sampling Location 178

4.3.3 Bacteriological Sampling 178

4.3.4 Chlorine Residual Testing 179

4.3.5 Lead and Copper Monitoring and Sampling Procedures 180

4.4 Cross-Connection Control 181

4.4.1 Program Responsibilities 182

4.4.2 Water Supplier Program 184

4.4.3 Typical Cross-Connection Hazards 186

4.4.3.1 Hazardous Chemicals Used by Consumers 186

4.4.3.2 Industries with Cross-Connection Potential 188

4.4.3.3 Maintenance and Testing Procedures 193

4.5 System Pressures 194

4.6 Distribution Storage 195

4.7 Pumps 195

4.8 Water Main and Appurtenance Maintenance 201

4.8.1 Locating Leaks 201

4.8.2 Locating Pipes 206

4.8.3 Repairing Leaks and Pulled Services 207

4.8.4 Making Pipe and Service Connections 208

4.8.5 Detecting Service Deficiencies 209

4.8.6 Pipe Flushing 212

4.8.7 Pipe Cleaning 216

4.8.8 Cement-Mortar Lining 222

4.8.9 Thawing 223

4.8.9.1 Hot Water Thawing of Frozen Service Lines 224

4.8.9.2 Steam Thawing of Frozen Service Valves, Main Valves, and Hydrants 225

4.8.9.3 Electrical Thawing of Frozen Service Lines 226

4.8.9.4 Flushing the Water Mains to Prevent Freezing 228

4.8.10 Main Breaks 232

4.8.11 Valves 232

4.8.12 Fire Hydrants 239

4.8.13 Meters 242

4.8.13.1 Test Procedures 242

4.8.13.2 Accuracy Testing Requirements 245

4.8.13.3 Meter Registers and Readouts 246

4.8.13.4 Maintenance 247

4.8.13.5 Meter Reading 248

4.8.14 Corrosion Control 249

4.9 Field Disinfection 251

4.9.1 Disinfection of Mains 252

4.9.2 Disinfection of Storage Facilities 256

4.10 Records 259

4.10.1 Maps 260

4.11 SCADA Systems 264

4.12 Equipment and Stores 265

4.13 Emergency Planning 266

4.14 Public Relations 268

4.15 Facility Landscaping and Surface Water Drainage 270

4.16 Distribution System Math 274

4.17 Math Assignment 279

4.18 Additional Resources 280

Chapter Review 281

Chapter 5

Disinfection 285

5.1 Drinking Water Safety 286

5.1.1 Safe Drinking Water Laws 286

5.2 Factors Influencing Disinfection 289

5.2.1 pH 289

5.2.2 Temperature 289

5.2.3 Turbidity 289

5.2.3.1 Organic Matter 290

5.2.3.2 Inorganic Matter 290

5.2.4 Reducing Agents 290

5.2.5 Microorganisms 290

5.2.6 Disinfection Considerations 291

5.3 Disinfection Process 292

- 5.3.1 Physical Means of Disinfection 292
- 5.3.2 Chemical Disinfectants (Other Than Chlorine) 293
- 5.3.3 Chlorine 294
 - 5.3.3.1 Chlorine Disinfection Action 294
 - 5.3.3.2 Reactions with Water 295
 - 5.3.3.3 Reactions with Impurities in Water 295
- 5.3.4 Hypochlorite 297
 - 5.3.4.1 Reactions with Water 297
 - 5.3.4.2 Chlorine Gas Reactions vs. Hypochlorite Compound Reactions 298
 - 5.3.4.3 Onsite Chlorine Generation 298
- 5.3.5 Chlorine Dioxide 298
 - 5.3.5.1 Reaction in Water 299
 - 5.3.5.2 Reactions with Impurities in Water 299
- 5.3.6 Breakpoint Chlorination 299
- 5.3.7 Chloramination 301
 - 5.3.7.1 Methods for Producing Chloramines 302
 - 5.3.7.2 Chlorine-to-Ammonia-Nitrogen Ratios 302
 - 5.3.7.3 Special Water Users 303
 - 5.3.7.4 Blending Chloraminated Waters 303
 - 5.3.7.5 Chloramine Residuals 303
- 5.3.8 Nitrification 304
 - 5.3.8.1 Nitrification Prevention and Control 305
- 5.3.9 Chlorine Residual Testing 306
 - 5.3.9.1 Chlorine Residual Curve 306
 - 5.3.9.2 Critical Factors 307
- 5.3.10 CT Values 308
- 5.3.11 Chlorination Process Calculations 309

5.4 Points of Chlorine Application 311

- 5.4.1 Wells and Pumps 311
 - 5.4.1.1 Procedures 315
 - 5.4.1.2 Continuous Disinfecting of Wells 315
- 5.4.2 Mains 315
 - 5.4.2.1 Disinfection Alternatives 317
 - 5.4.2.2 Flushing After Disinfection 320
 - 5.4.2.3 Testing After Disinfection 320
 - 5.4.2.4 Emergency or Maintenance Disinfection 320
 - 5.4.2.5 Disinfection Specifications 321
 - 5.4.2.6 Disinfection Problems 321
- 5.4.3 Tanks 322

5.5 Operation of Chlorination Equipment 324

- 5.5.1 Hypochlorinators 324
- 5.5.2 Chlorinators 325
 - 5.5.2.1 Chlorinator Flow Path 327
 - 5.5.2.2 Chlorinator Parts and Their Purposes 328
- 5.5.3 Chlorine Containers 332
 - 5.5.3.1 Plastic 332
 - 5.5.3.2 Steel Cylinders 332
 - 5.5.3.3 Ton Tanks 332
- 5.5.4 Chlorine Room Ventilation 333
- 5.5.5 Chlorine Storage and Handling 334
- 5.5.6 Removing Chlorine from Containers 335
 - 5.5.6.1 Connections 335
 - 5.5.6.2 Valves 336
 - 5.5.6.3 Ton Tanks 336
- 5.5.7 Performance of Chlorination Units 336
 - 5.5.7.1 Hypochlorinators 337
 - 5.5.7.2 Chlorinators 342
- 5.5.8 Normal and Abnormal Operation 346
 - 5.5.8.1 Container Storage Area 346
 - 5.5.8.2 Evaporators 347
 - 5.5.8.3 Chlorinators, Including Injectors 350
 - 5.5.8.4 Daily Operations 354
 - 5.5.8.5 Laboratory Tests 356
- 5.5.9 Gas Chlorinator System Troubleshooting 357
- 5.5.10 Disinfection Troubleshooting 358
- 5.5.11 Managing Chlorination System Failure 358

5.6 Maintenance of Chlorination Equipment 358

- 5.6.1 Chlorine Leaks 358
- 5.6.2 Chlorine Facilities Installation Considerations 362

5.7 Measuring Chlorine Residual 364

- 5.7.1 Amperometric Titration for Free Chlorine Residual 364
- 5.7.2 DPD Colorimetric Method for Free Chlorine Residual 364

5.8 Chlorine Safety Program 365

- 5.8.1 Chlorine Hazards 366
- 5.8.2 Why Chlorine Must Be Handled with Care 366

- 5.8.3 Chlorine Safety for Operators 367
 - 5.8.3.1 First-Aid Measures 368
- 5.8.4 Hypochlorite Safety 369
- 5.8.5 Operator Safety Training 369

5.9 Chlorination Math 370

- 5.9.1 Disinfection of Facilities 371
 - 5.9.1.1 Wells and Pumps 371
 - 5.9.1.2 Mains 372
 - 5.9.1.3 Tanks 373
- 5.9.2 Disinfection of Water from Wells 374
 - 5.9.2.1 Chlorine Dose 374
 - 5.9.2.2 Chlorinator 374
 - 5.9.2.3 Hypochlorinator 377

5.10 Math Assignment 381

5.11 Additional Resources 381

Chapter Review 382

Chapter 6 Safety 385

6.1 Safety Program 386

- 6.1.1 Tailgate Safety Sessions 387
 - 6.1.1.1 Tailgate Safety Sample Script 387
- 6.1.2 Employee Right-To-Know Laws 388

6.2 Vehicle Safety 389

- 6.2.1 Towing a Trailer 389
- 6.2.2 How to Charge a Battery 390
- 6.2.3 Boat Safety 391

6.3 Personal Safety 392

- 6.3.1 Monitoring Equipment 392
- 6.3.2 Personal Protective Equipment 397
- 6.3.3 Avoiding Slips and Falls 398
- 6.3.4 Handling and Lifting 398
- 6.3.5 Electrical Safety 399
- 6.3.6 Handling Corrosive Chemicals 399

6.4 Safety Around Wells 400

- 6.4.1 Location of Well Site 400

- 6.4.2 New Wells 401
- 6.4.3 Sanitary Seal 401
- 6.4.4 Surface Portion of Well 401
- 6.4.5 Tank Coatings 402
- 6.4.6 Well Chemicals 402
- 6.4.7 Working Around Electrical Units 404
- 6.4.8 Abandoning and Plugging Wells 405
- 6.4.9 Safety Inspection 405

6.5 Pump Safety 406

- 6.5.1 Guards Over Moving Parts 406
- 6.5.2 Maintenance and Repair 408
- 6.5.3 Lockout/Tagout Procedure 410
- 6.5.4 Storage of Lubricants and Fuel 411

6.6 Working in Streets 411

- 6.6.1 Fundamental Principles 412
- 6.6.2 Definitions 413
- 6.6.3 Major Temporary Traffic Control Considerations 417
- 6.6.4 Individuals Qualified to Control Traffic 418
- 6.6.5 Permission to Work Within the Right-of-Way 418
- 6.6.6 General Responsibilities of Utility Agencies 419
- 6.6.7 Street or Highway Work Regulations 419
- 6.6.8 Temporary Traffic Control Zones 420
 - 6.6.8.1 Roadway Tapers 425
- 6.6.9 Pedestrian Safety 428
- 6.6.10 Worker Safety 431
 - 6.6.10.1 Speed Limits in Work Zones 432
 - 6.6.10.2 Flagger Control 433
- 6.6.11 Using Temporary Traffic Control Zone Devices 436
- 6.6.12 Excavations in Streets 451
 - 6.6.12.1 Trenches 451
 - 6.6.12.2 Cave-Ins 452
 - 6.6.12.3 Using Ladders 453
 - 6.6.12.4 Locating Underground Utilities Before You Dig 454

6.7 Safety Around Water Storage Facilities 456

- 6.7.1 Avoiding Slips and Falls 456
- 6.7.2 Using Ladders 456
- 6.7.3 Applying Interior Coatings 458
- 6.7.4 Working in Confined Spaces 459

6.8 Noise Exposure 463

6.9 Safety Inspections 466

6.10 Additional Resources 466

Chapter Review 468

**Chapter 7
Management 473**

7.1 Managing Utilities 474

7.2 Planning 476

7.3 Organizing 476

7.4 Staffing 480

7.4.1 Workforce Analysis 481

7.4.2 Qualifications Profile 481

7.4.3 Applications and the Selection Process 483

7.4.4 New Employee Orientation 487

7.4.5 Employment Policies and Procedures 487

7.4.5.1 Probationary Period 487

7.4.5.2 Compensation 488

7.4.5.3 Training and Certification 488

7.4.5.4 Performance Evaluation 489

7.4.5.5 Dealing with Disciplinary Problems 490

7.4.5.6 Example Policy: Harassment 495

7.4.5.7 Labor Laws Governing Employer/
Employee Relations 499

7.4.5.8 Personnel Records 500

7.4.6 Unions 500

7.5 Communication 501

7.5.1 Oral Communication 502

7.5.2 Written Communication 503

7.6 Conducting Meetings 505

7.7 Public Relations 506

7.7.1 Establish Objectives 506

7.7.2 Utility Operations 507

7.7.3 The Mass Media 507

7.7.4 Being Interviewed 508

7.7.5 Public Speaking 508

7.7.6 Telephone Contacts 508

7.7.7 Consumer Inquiries 509

7.7.8 Plant Tours 510

7.8 Planning for Financial Stability 511

7.8.1 Measuring Stability 511

7.8.2 Budgeting 512

7.8.3 Equipment Repair/Replacement Fund 514

7.8.4 Water Rates 515

7.8.5 Capital Improvement Program 515

7.8.6 Financial Assistance 517

7.9 Operation and Maintenance 518

7.9.1 Using Geographic Information Systems 518

7.9.2 Types of Maintenance 519

7.9.3 Benefits of Managing Maintenance 521

7.9.4 SCADA Systems 521

7.9.5 Cross-Connection Control Program 525

7.9.5.1 Program Responsibilities 526

7.9.5.2 Water Supplier Program 527

7.10 Emergency Response 528

7.10.1 Federal Requirements 528

7.10.2 Security 531

7.10.2.1 Guarding Against Unplanned Physical
Intrusion 532

7.10.2.2 Making Security a Priority for
Employees 532

7.10.2.3 Coordinating Actions for Effective
Emergency Response 533

7.10.2.4 Investing in Security and Infrastructure
Improvements 533

7.10.3 Managing Contamination Threats 535

7.10.3.1 Evaluating and Responding to
Threats 536

7.10.3.2 *Cryptosporidium* in water systems 538

7.11 Safety Program 539

7.11.1 Regulatory Agencies 540

7.11.2 Managers 540

7.11.3 Supervisors 541

7.11.4 Operators 543

7.11.5 First Aid 543

7.11.6 Hazard Communication Standard and Worker
Right-To-Know Laws 544

- 7.11.7 Confined Space Entry Procedures 556
- 7.11.8 Reporting 558
- 7.11.9 Training 561
- 7.11.10 Measuring Program Effectiveness 563
- 7.11.11 Human Factors 567

7.12 Recordkeeping 568

- 7.12.1 Plant Operations Data 569
- 7.12.2 Maintenance 569
- 7.12.3 Procurement 569
- 7.12.4 Inventory 571
- 7.12.5 Equipment 571
- 7.12.6 Computer Recordkeeping Systems 571
- 7.12.7 Retaining Utility Records 572

7.13 Water and Energy Conservation 572

- 7.13.1 Elements of Conservation Programs 573
 - 7.13.1.1 Residential Water Surveys 574
 - 7.13.1.2 Residential Plumbing Retrofits 574
 - 7.13.1.3 System Water Audits, Leak Detection, and Repair 575
 - 7.13.1.4 Metering with Commodity Rates 575
 - 7.13.1.5 Large Landscape Conservation Programs 575
 - 7.13.1.6 Public Information Programs 576
 - 7.13.1.7 Commercial, Industrial, and Institutional Sector Programs 577
 - 7.13.1.8 Wholesale Agency Assistance Programs 577
 - 7.13.1.9 Conservation Pricing 578
 - 7.13.1.10 Conservation Coordinator 579
 - 7.13.1.11 Water Waste Prohibition 579
 - 7.13.1.12 Residential ULFT Replacement Programs 579
 - 7.13.1.13 Potential Best Management Practices 579

7.14 Additional Resources 580

Chapter Review 581

Appendix A

Introduction to Basic Math for Operators 585

Introduction 586

Basic Concepts (Sections A.1–A.4) 587

A.1 Numbers and Operations 587

- A.1.1 Addition 587
- A.1.2 Subtraction 587
- A.1.3 Multiplication 588
- A.1.4 Division 588

A.2 Order of Operations 588

- A.2.1 More on Exponents 592

A.3 Basic Algebra (Solving Equations) 592

A.4 Percentages 595

Intermediate Concepts (Sections A.5–A.6) 598

A.5 Units 598

- A.5.1 Distance or Length 598
- A.5.2 Area 599
 - A.5.2.1 Surface Area of a Rectangle 599
 - A.5.2.2 Surface Area of a Triangle 600
 - A.5.2.3 Surface Area of a Trapezoid 601
 - A.5.2.4 Surface Area of a Circle 601
 - A.5.2.5 Surface Area of a Cylinder 602
 - A.5.2.6 Surface Area of a Cone 603
 - A.5.2.7 Surface Area of a Sphere 604
- A.5.3 Volume 604
 - A.5.3.1 Cube 605
 - A.5.3.2 Rectangular Prism 605
 - A.5.3.3 Triangular Prism 606
 - A.5.3.4 Cylinder 606
 - A.5.3.5 Cone 606
 - A.5.3.6 Sphere 607
- A.5.4 Mass and Weight 607
- A.5.5 Density, Specific Weight, and Specific Gravity 608
- A.5.6 Concentration 608
- A.5.7 Velocity and Flow Rate 610
- A.5.8 Force and Pressure 612
- A.5.9 Work, Head, and Power 617

A.6 Metric System 620

- A.6.1 SI Base Units 620

A.6.2 Measures of Length 622
A.6.3 Measures of Capacity or Volume 622
A.6.4 Measures of Weight 622
A.6.5 Temperature 623

Advanced Concepts (Sections A.7–A.8) 624

A.7 Pumps 624

A.7.1 Pressure 624
A.7.2 Work 625
A.7.3 Power 626
A.7.4 Horsepower 626
A.7.5 Head 630
A.7.6 Pump Characteristics 632
A.7.7 Evaluation of Pump Performance 634
 A.7.7.1 Capacity 634
 A.7.7.2 Efficiency 635
A.7.8 Pump Speed–Performance Relationships 638
A.7.9 Friction or Energy Losses 639

A.8 Analysis and Presentation of Data 643

A.8.1 Causes of Variations in Results 643
 A.8.1.1 Water or Material Being Examined 644
 A.8.1.2 Sampling 644
 A.8.1.3 Testing 644
A.8.2 Controlling Variation 644
 A.8.2.1 Reading Charts 646
A.8.3 Describing Data or Results 646
 A.8.3.1 Graphs and Charts 647
 A.8.3.2 Numerical Representation of Data 652

A.8.4 Moving Averages 659
A.8.5 More Applications of Graphs 661
 A.8.5.1 Volume of Sludge in a Digester 661
 A.8.5.2 Tracking BOD Loading 664
A.8.6 Regression Analysis (Prediction Equations, Trends, and Correlations) 666
 A.8.6.1 Correlations 671

A.9 Typical Water Distribution System Problems (English System) 672

A.9.1 Flows 672
A.9.2 Chemical Doses 672
A.9.3 Distribution System Facilities 674
A.9.4 Operation and Maintenance 678
A.9.5 Disinfection 684
A.9.6 Laboratory Procedures 686

A.10 Typical Water Distribution System Problems (Metric System) 686

A.10.1 Flows 686
A.10.2 Chemical Doses 687
A.10.3 Distribution System Facilities 688
A.10.4 Operation and Maintenance 691
A.10.5 Disinfection 697
A.10.6 Laboratory Procedures 699

A.11 Calculation of Log Removals 699

Answer Key 701
Glossary 705
Index 735

A

- AADT (annual average daily traffic), 413
- Abandoning wells, 405
- ABC (Association of Boards of Certification), 489
- Abnormal conditions, chlorination, 324, 341, 346, 352
- Accident reports, 558, 559, 560
- Accidents, 386, 387, 392, 453
- Accuracy, meters, 147, 245
- Acid rain, 2
- Acids, safety practices, 399, 402
- ADA (Americans with Disabilities Act of 1990), 499
- Additional resources
 - disinfection, 381
 - distribution system facilities, 163
 - introduction to water distribution, 33
 - management, 580
 - operation and maintenance, 280
 - water distribution system operator, 466
 - water storage facilities, 75
- Administration
 - advertising positions, 483
 - applications, 483
 - backflow prevention program, 526–527
 - certification, 488
 - communication, 501
 - compensation, 483, 488
 - conducting meetings, 505–506
 - consumer inquiries, 509
 - contaminated water supply, 535
 - contingency planning, 528
 - continuing education, 489
 - cross-connection control program, 181–193
 - discipline problems, 490
 - disposing of plant records, 572
 - emergency response, 528–539
 - employee complaints, 490
 - equipment repair/replacement fund, 514
 - evaluation, performance, 489
 - financial assistance, 517
 - first aid, 543–544
 - functions of a manager, 474
 - hazard communication, 544–556
 - interviewing job applicants, 483–487
 - interviews, media, 507
 - meetings, conducting, 505–506
 - operations and maintenance (O&M), 518–528
 - operator duties, 30
 - oral communication, 502
 - orientation, new employee, 487
 - performance evaluation, 489
 - personnel records, 500
 - planning, 476
 - plant tours, 510
 - policies and procedures, 487
 - probationary period, 487–488
 - procurement of materials, 569–571
 - public relations, 506
 - public speaking, 508
 - qualifications profile, 481–482
 - rates, water, 515
 - recordkeeping, 568–572
 - records, personnel, 480, 500
 - repair/replacement fund for equipment, 514–515
 - safety program, 539–567
 - SCADA (supervisory control and data acquisition) systems, 521–525
 - selection process, 483
 - sexual harassment, 495
 - staffing, 480–501
 - supervisor, training, 489
 - telephone contacts, 508–509
 - tours, plant, 510
 - training, 488–489
 - unions, 500
 - water rates, 515
 - written communication, 503
- Advertising, job openings, 483
- Aesthetics, water quality, 12
- Affirmative action, 483
- Agents, disinfection, 252
- Agricultural runoff, 2, 6
- Air gap, 55, 155–157, 181
- Air gap, chlorination equipment, 342
- Air release valves, 136, 138
- Air shores, 116, 119
- Algal blooms, 7
- Allocations, water shortage, 578
- Alternative disinfection process, 301
- Altitude control valves, 49, 70, 139
- Aluminum shoring, 117
- Ambient temperature, 363
- Americans with Disabilities Act of 1990 (ADA), 499
- Ammonia, 296, 299, 304, 359
- Ammonia, test for leaks, 343, 359
- Ammonia-oxidizing bacteria (AOB), 304
- Amperometric titration, 364
- Anaerobic, 24
- Annual average daily traffic (AADT), 413
- Annual report, 505, 514
- Annual running TTHM average, 175–177
- Anode, 62
- Applications, job, 483
- Appurtenance, 80
- Aquifers, 8
- Arrow boards, traffic, 446
- Arsenic, 13
- Artesian wells, 7
- Asbestos-cement pipe, 100, 104, 107
- As-built plans (record drawings), 31, 109, 262
- Assessment of system vulnerability, 529
- Association of Boards of Certification (ABC), 489
- Atmospheric vacuum breaker, 155
- Audience, communications, 502, 503, 506
- Audiovisuals, 502
- Audits, water, 204, 575
- Authority, 476
- Available chlorine, 64
- Available chlorine residual, 294, 299
- Average measurements, water quality, 175
- Average water demand, 38
- Awareness, safety, 386

B

- Backfilling, laying pipe, 124
- Backflow, 20, 67, 81, 181, 182
- Backflow prevention, 140, 152, 155–162, 181–193, 525–526
- Back pressure, 20, 156, 181
- Backsiphonage, 20, 47, 55, 155, 181, 183
- Bacteria, pathogenic, 18
- Bacterial cells, 294
- Bacteriological analyses, 261
- Bacteriological sampling, 178
- Ball valves, 132
- Barium, 13
- Barricades, traffic control, 448, 450
- Battery, charging, 390–391
- Bedding, pipe, 108
- Bell and spigot coupling, 105, 106
- Below-ground reservoirs, 26

- Benefits, employee, 483, 487
 - Best management practice (BMP), conservation, 573, 579
 - Billing inserts, 576
 - Biofilm, 21–22
 - Biological, water quality, 15
 - Biological growth, 21–22
 - Bitter tastes in water, 293
 - Block rate structure, 578
 - Blowoff valves, 140, 171
 - Boats, safety, 391
 - Bonds, 516
 - Booster pumps, 70, 93
 - Boxes for valves, 140
 - Branching systems, 95, 96
 - Breakpoint chlorination, 55, 299, 355
 - Breaks, mains, 232
 - Bromine, 293
 - Budgets, 31, 512
 - Buffer capacity of water, 298
 - Butterfly valves, 132, 133
 - Byproducts, disinfection, 14, 292
 - Byproducts Rule, Disinfectants and Disinfection, 288
- C**
- CAD (computer-aided design) system, 519
 - Cadmium, 13
 - Calcium carbonate equilibrium, 62
 - Calcium hypochlorite, 297
 - Calculations
 - C Factor, 85
 - disinfection, 64, 66, 254–255, 258–259, 309–310, 311–314, 316–317, 370–381
 - flushing, 215
 - leakage, 125–129
 - mains, testing, 125–129
 - meters, 242–249
 - pressure, 81, 82, 85
 - storage facilities, 50, 64, 66
 - testing of mains, 125–129
 - water quality monitoring, 174, 175
 - California hydrant (wet-barrel hydrants), 145
 - Call Before You Dig program (811), 454
 - Capital improvement program, 515
 - Carbon monoxide, safety, 392
 - Carcinogen, 19, 292
 - Cardiopulmonary resuscitation (CPR), 544
 - Cast-iron pipe, 97
 - Cathode, 62
 - Cathodic protection, 61, 63, 95, 348
 - Causes of work injuries, 387
 - Cave-ins, 452–453
 - Cavitation, 234
 - Cement-mortar lining, 222–223
 - Centrifugal pumps
 - priming, 52, 53
 - startup, 53
 - troubleshooting, 72, 73
 - Certification, 29, 30, 488
 - C Factor, 81, 85, 211
 - Channelizing devices, traffic, 446
 - Check valves, 94, 140, 159
 - Chemical
 - analyses, 261
 - safety, 252, 402
 - water quality, 16
 - Chemical disinfectants, 293–301
 - Chemical solution tank, 324
 - CHEMTREC, 370, 531
 - Chloramination
 - blending, 303
 - chloramine production, 302
 - chlorine to ammonia-nitrogen ratios, 302–303
 - contact time, 308
 - critical factors, 307
 - nitrification, 302, 304
 - postammoniation, 302
 - preammoniation, 302
 - prechlorination, 302
 - residuals, 303–304
 - special water users, 303
 - Chloramines, 22, 297, 299–305
 - Chloride, 14
 - Chlorination
 - Also see* Chlorinators, Disinfection, and Hypochlorinators
 - abnormal operation, 324, 341, 346, 352
 - ammonia test for leaks, 343, 359
 - amperometric titration, 364
 - breakpoint, 299, 355
 - CHEMTREC, 370, 531
 - chloramination, 301
 - chloramines, 297, 299–305
 - chlorinator, 325–332, 342, 350–358
 - chlorine, 294
 - chlorine dioxide, 298
 - chlorine residual tests, 364
 - chlorophenol, 301
 - contact time, 308
 - containers, 332, 334
 - container storage, 362
 - corrosion, 331, 343, 348, 366
 - critical factors, 307–308
 - CT values, 308
 - cylinders, 332, 334
 - demand, 294, 309, 310
 - dew point, 343
 - diaphragm pump, 326
 - dichloramine, 301
 - distribution system, 354
 - dosage, 294
 - DPD test, 356, 364
 - emergency repair kits, 359, 360
 - equipment
 - air gap, 342
 - cathodic protection, 348
 - chemical solution tank, 325
 - chlorinator, 350–354
 - connections to chlorine containers, 325
 - educator, 367
 - ejector, 325
 - injector, 325
 - installation, 325, 362
 - leaks, 367
 - location, 362
 - maintenance, 341, 358, 367
 - manifold, 331, 363
 - metering, 327, 331
 - operation, 337–354
 - parts, 328
 - pigtail tubing, 335
 - plans and specifications review, 362
 - poppet valves, 338
 - residual analyzer, 350, 351
 - rotameter, 327
 - safety, 342, 365–370
 - self-contained breathing apparatus, 335, 366, 367
 - shutdown, 337
 - solution feeders, 324, 326, 337
 - startup, 337, 342
 - storage, containers, 362
 - system failure, 358
 - ton tanks, 332
 - troubleshooting, 357, 358
 - vacuum-controlled chlorinators, 325–332, 350
 - valves, 335, 336, 338, 341, 342, 349
 - water supply system, 342
 - wrenches, chlorine container valve, 336
 - yoke-type connectors, 335
 - evaporator, 343, 347
 - first aid, 368
 - formulas, 339, 355
 - free available residual chlorine, 299
 - hazards, 366
 - hypochlorinator, 324, 326, 337
 - hypochlorite, 297
 - injection point, 307
 - injector, 325, 330, 350, 357
 - injector water supply, 342
 - laboratory tests, 356
 - leaks, 335, 342, 352, 357, 358–362, 367
 - maintenance, equipment, 341, 358, 367
 - mixing, 307
 - monitoring, 287
 - monochloramine, 301
 - nitrification, 302, 304
 - operation of equipment, 336–354
 - organic matter, 290, 299
 - pathogen removal, 290
 - performance, 336
 - pH, 289, 296, 307
 - phenol, 301
 - population served, 288
 - postchlorination, 307, 354
 - prechlorination, 297, 302, 307, 354
 - process calculations, 309
 - reducing agents, 290, 296, 307
 - removing chlorine, 335
 - residual chlorine, 179, 291, 292, 294, 299, 301, 302, 306, 307, 350, 364

- residual chlorine test, 364
- safety, 365–369
- sampling, 288
- self-contained breathing apparatus, 335, 365, 367
- storage, 334
- storage of containers, 346, 362
- system failure, 358
- tanks, 332, 360
- tastes and odors, 301, 355
- temperature, 305, 307
- THMs (trihalomethanes), 290, 291
- training, safety, 369
- trichloramine, 301
- trihalomethanes (THMs), 290, 291
- troubleshooting equipment, 357, 358
- turbidity, 289, 307
- variables, 289
- ventilation, 363
- viruses, 19, 290
- waterborne diseases, 286
- weighing chlorine containers, 363
- Chlorinators, 325–332, 342–346, 350–358
- Chlorine
 - ammonia, 296, 299, 301, 304, 359
 - ammonia test for leaks, 343, 359
 - available residual, 295, 299
 - CHEMTREC, 370
 - chloramines, 297, 299–305
 - concentrations, effects, 366
 - containers, 334
 - cylinders, 334
 - demand, 294, 309, 310
 - detection, leaks, 352, 357, 358–362, 367
 - detention rate curve, 307
 - disinfection, 252–257, 294
 - dose, 295, 310
 - first aid, 368
 - frozen, 350
 - handling, 334
 - hazards, 366
 - HTH (High Test Hypochlorite), 297, 314
 - hydrogen sulfide, 296
 - hypochlorite, 297
 - hypochlorous acid, 295, 296, 298, 300
 - ice, 350
 - leaks, 335, 342, 352, 357, 358–362, 367
 - maximum removal rate, 335, 362
 - on-site generation, 298
 - pH, 289, 296, 307
 - physiological response, 366
 - prechlorination, 297, 302, 307, 354
 - properties, 366
 - rate of withdrawal, 335, 362
 - reactions, 295
 - residual, 179, 291, 292, 294, 299, 301, 302, 306, 307, 350, 364
 - safety, 366, 403
 - uses, 252–257
 - ventilation, 333
 - withdrawal rate, 335, 362
- Chlorine dioxide
 - disinfection uses, 291
 - iron and manganese, 299
 - microbial control, 22
 - phenolic tastes and odors, 298
 - reaction in water, 299
 - reactions with impurities, 299
 - taste and odor control, 301
 - trihalomethanes, 299
- Chlorine facilities, 362
- Chlorine neutralization, 67, 257
- Chlorine residual testing, 179, 363
- Chlorophenol, 301
- Chlororganic, 299
- Chromium, 13
- Cistern, water storage, 6
- Cleaning
 - mains, 216–221
 - tanks, 58
- Clear wells
 - description, 9
 - storage facilities, 38, 40, 42
- Clothing, safety, 397–398
- CMMS (computer-based maintenance management system), 519
- Coagulation removal process, pathogens, 290
- Coatings, tanks, 58–61, 402, 458
- Coliform bacteria, 42, 288, 311
- Color, 14
- Color, water quality problem, 55
- Colorimeter, 365
- Combustible gases, 392
- Commercial, industrial, and institutional (CII) conservation programs, 577
- Commercial divers and wet inspections, 57
- Commodity rates, 575
- Communication, 267, 501–505
- Compensation, 488
- Competent person
 - confined spaces, 461
 - defined by OSHA, 431
 - excavation inspection, 451
 - hazard assessment of work site, 431
 - shoring safety, 116, 451
- Complaints
 - consumer, 259, 269–271
 - customer, 509
 - employee, 490
 - handling, 16, 32
 - procedure, 490
- Compound meters, 146, 150
- Computer-aided design (CAD) system, 519
- Computer-based maintenance management system (CMMS), 519
- Computerized recordkeeping systems, 571
- Concrete pipe, 99, 103
- Concrete storage facilities, 68
- Conducting meetings, 505
- Confined space, 392, 393, 396, 459, 556–558
- Confined space entry permit, 459, 460, 557
- Connections, chlorine containers, 335
- Connections, equipment, 335
- Connections, pipe, 152, 153, 208
- Connectors, yoke-type, 335, 351
- Conservation
 - audits, water, 575
 - best management practice (BMP), 573, 579
 - commercial, industrial, and institutional (CII), 577
 - commodity rates, 575
 - coordinator, 579
 - elements of programs, 573–580
 - energy, 572
 - large landscape, 575
 - leak detection, 575
 - metering, 575
 - need, 572
 - pricing, 578
 - public information programs, 576
 - public relations, 506
 - residential plumbing retrofits, 574
 - residential water surveys, 574
 - school education programs, 576
 - water audits, 575
 - WaterSense, EPA partnership program, 580
 - water waste prohibition, 579
 - wholesale agency assistance programs, 577
- Constituents, drinking water, 14
- Construction, distribution systems, 24, 25, 26, 27
- Consumer
 - complaints, 259, 269–271, 509
 - demands for water, 10
 - inquiries, 509
- Contact time, chlorine, 308
- Containers, chlorine, 332, 334, 346, 362
- Container valve wrenches, chlorine, 336
- Contaminated water supply
 - countermeasures, 536
 - cross-connections, 181, 525
 - Cryptosporidium*, 538
 - emergency treatment, 537
 - incident commander, 536
 - source of supply, 18
 - sources, 18
 - threats, managing, 535–539
- Contingency planning, 528
- Continuing education, 489
- Contract negotiations, 500
- Control devices and zones. *See* Traffic control
- Control of
 - corrosion, 61, 95, 100, 108, 249
 - cross-connections, 181
 - water quality, 12
- Controls, instruments, 51, 69, 74
- Coordinator, conservation, 579
- Copper, 13, 14
- Corey hydrant, 145

- Corporation stop, 125, 152, 153
 Corrective maintenance, 168, 519
 Corrosion
 chemical treatment, 249
 control, 61, 95, 100, 108, 249
 distribution systems, 21
 inhibitors, 250
 polyphosphate, 62
 problems, chlorination, 348, 366
 storage facilities, 61
 valves, 238
 Corrosive chemicals, 399
 Corrosivity, 14
 Costs
 operation and maintenance, 10
 treatment, 3, 10
 Couplings, pipe, 102, 104, 106, 107, 143
 Coupons, 171, 249
 Coverage ratio, 511
 Covers on reservoirs, 26
 CPR (cardiopulmonary resuscitation), 544
Crenothrix, 21
 Cross-connection control
 air gap separation, 155, 181
 atmospheric vacuum breaker, 155
 backflow, 181, 525–527
 back pressure, 181
 backsiphonage, 181
 distribution storage, 55, 93
 distribution systems, 20, 183, 526
 double check valve, 155
 hazards, 186–193
 industrial settings, 188–193
 maintenance (device) record form, 187
 ordinance, 184, 527
 pressure vacuum breaker, 155, 526
 program responsibilities, 182
 surveillance, 173
 survey form, 185
 water supplier, 184
 Cryptosporidiosis, 6
Cryptosporidium, 288, 538
 CT values, 308
 Curb boxes and meters, 171
 Curb stop, 152
 Customer
 complaints, 259, 269–271, 509
 inquiries, 509
 Customer service
 backflow prevention devices, 155
 complaint form, 269, 271
 corporation stop, 153
 installation of service line, 152
 meters, 152
 meter size, 152
 shutoff valve, 152
 survey form, 272
 Cylinders, chlorine, 332, 334
 Cylinder shoring, 120, 121
 Cysts, 290
- D**
 Daily log or diary, 260
 Dangerous air contamination, 392, 394, 461
 Dead ends, 24, 89, 95
 Decibel, noise exposure, 464, 465
 Decision sight distance, 417
 Deficiencies in service, 209, 211
 Degradation, water quality, 23
 Demand, chlorine, 294, 309, 310
 Demand, storage, 46
 Demand, water, 10, 38, 46
 Demand-initiated regenerating (DIR) water softeners, 579
 Detecting service deficiencies, 209–212
 Detection, chlorine leaks, 352, 357, 358–362, 367
 Detention rate curve, chlorine, 307
 Detention time
 chlorine, 306
 curves, 306
 nitrification, 305
 Deterioration of
 distribution systems, 168
 water quality, 15–18, 20–27
 Dew point, 343
 Diaphragm pump, 326
 Diaphragm valves, 136
 Diatoms, 302
 Dichloramine, 301
 Direct runoff, 6
 Dirty water, 25, 269
 Disasters, 266
 Discharge of chlorinated waters, 257
 Disciplinary problems, 490
 Discriminatory hiring, 481
 Diseases, 19, 286
 Disinfectants and Disinfection Byproducts Rule (DBPR), 288
 Disinfection
 Also see Chlorination
 action, 294
 additional resources, 381
 agents, 252, 291
 bacterial cells, 290
 bitter taste, 293
 breakpoint chlorination, 55, 299, 355
 bromine, 293
 byproducts, 14, 292
 calculations, 64, 66, 254–255, 258–259, 309–310, 311–314, 316–317, 370–381
 chemical disinfectants, 293
 chlorination, 294
 chlorine, 252–257, 294
 chlorine dioxide, 291, 298
 coliforms, 288, 311
 contact time, 308
 critical factors, 307
 Cryptosporidium, 288
 CT values, 308
 cysts, 290
 discharge of chlorinated water, 257
 diseases, 286
 distribution system, 251
 dosage, 295
 emergency, 320
 enzymes, 294
 formulas, 339, 355
 Giardia, 13, 19, 308
 giardiasis, 19
 heat method, 293
 hepatitis, 19
 hypochlorite, 252–259, 295
 inorganic matter, 290
 iodine, 293
 mains, 129, 252, 315–322
 maintenance, 320–321
 math assignment, 381
 membrane filter, 254
 membrane filter (MF) test, 257
 methods, 315, 318
 microbial standards, 287
 microorganisms, 290
 monitoring, 287
 monochloramine, 291
 multiple-tube fermentation (MTF) test, 257
 neutralizing chemicals, 257
 organic matter, 290, 299
 ozone, 291, 293
 parasites, 19
 pathogen removal, 290
 pH, 289, 296, 307
 physical means, 292
 points of application, 311
 population served, 288
 postchlorination, 307, 354
 prechlorination, 297, 302, 307, 354
 preventive measures, 316
 problems, 321
 procedures, 315, 322
 process calculations, 309
 processes, 292
 reducing agents, 257, 289, 290, 296, 307
 removal processes, pathogens, 290
 residual chlorine, 179, 291, 292, 294, 299, 301, 302, 306, 307, 350, 364
 safety, 403
 sampling, 288
 selection of disinfectant, 292
 specifications, 321
 spore-forming bacteria, 290
 standards, microbial, 287
 sterilization, 286
 storage facilities, 64–68, 256
 tablets, 252
 tanks, 322
 tastes and odors, 291
 temperature, 289, 307
 trihalomethanes (THMs), 290, 291
 troubleshooting equipment, 357, 358
 turbidity, 289, 307
 ultrasonic waves, 293

- ultraviolet (UV) systems, 291, 292
 - variables, 289
 - viruses, 18, 290
 - waterborne diseases, 286
 - wells, 311, 374
 - Disinfection byproducts (DBPs), 14, 292
 - Displacement meters, 147
 - Disposing of plant records, 572
 - Distribution storage
 - Also see* Storage facilities (water)
 - cross-connections, 93
 - health, 93
 - location, 91, 92
 - pumping, 93
 - purpose, 91
 - types, 91
 - water quality, 91
 - Distribution system facilities
 - Also see* Distribution system O&M and Distribution systems
 - appurtenances, 80, 94, 132
 - booster pumping, 93
 - check valves, 94
 - corporation stop, 125
 - dead ends, 24, 89, 95
 - fire demand, 89
 - grid system, 89, 95, 96
 - hydrants, 123, 143
 - hydraulics, 81–86
 - layout, 95, 96
 - looped system, 89, 95, 96
 - mains, 87, 95
 - Also see* Mains, water
 - meters, 146
 - Also see* Meters
 - performance, 86
 - physical characteristics, 80
 - pressure-reducing valves, 88
 - pressures, 80, 86
 - purpose, 80
 - safety, 130
 - storage, 90
 - surge chambers, 84
 - thrust blocks, 83, 108, 123, 124
 - transmission systems, 90
 - valves, 88, 132, 232
 - Also see* Valves
 - Distribution system O&M
 - audits, water, 204
 - breaks, mains, 232
 - cement-mortar lining, 222–223
 - cleaning mains, 216–221
 - connections, 154, 155, 208
 - corrective maintenance, 168
 - corrosion control, 249
 - cross-connection control, 181
 - detecting service deficiencies, 209
 - disinfection, 252
 - emergency procedures, 56, 168, 266
 - equipment and stores, 265
 - fire demand, 87, 89
 - flow tests, 211
 - flushing, 212–216
 - hydrants, 239
 - inspections, wet, 57
 - landscaping, 270
 - leaks, 125, 201–206
 - locating pipes, 206
 - main breaks, 232
 - maintenance, 168
 - math, 279
 - meters, 242
 - monitoring, 173
 - objective, 168
 - pressures, 46, 81, 86, 194
 - pressure tests, 125–129, 211
 - preventive maintenance, 168
 - public relations, 268
 - pumps, 194, 195
 - records, 259
 - repairs, 25, 168
 - reservoirs, 68
 - safety, 130
 - shoring, 111, 207
 - storage facilities, 169, 195
 - surveillance, 169
 - Also see* Surveillance of distribution systems
 - system pressures, 194
 - tapping, 209
 - thawing, 223, 226–228
 - valves, 232
 - Also see* Valves
 - water audits, 204
 - water quality monitoring, 173
 - water quality problems, 212
 - Distribution systems
 - Also see* Distribution system facilities and Distribution system O&M
 - aging facilities, 23
 - backflow, 20
 - back pressure, 20
 - backsiphonage, 20
 - below-ground reservoirs, 26
 - biological growth, 21–23
 - construction, 24, 25, 26, 27
 - contamination sources, 18
 - corrosion, 21
 - covers on reservoirs, 26
 - Crenothrix*, 21
 - cross-connections, 20, 183, 525
 - dead ends, 24
 - description, 10
 - deterioration of water quality, 15, 20–27
 - dirty water, 25, 27
 - disinfection, 355
 - flow, 23
 - hazardous facilities, 25
 - mains, 24
 - milky water, 23, 25
 - operation, 23–25
 - pipe material, 24–25
 - pressures, 44, 46
 - red water, 21
 - repair, 25
 - reservoirs, 26–28
 - safety, 130
 - sampling, 178
 - sources of contaminants, 18
 - storage facilities, 26, 90, 195
 - temperature, 23
 - time in system, 23
 - trihalomethanes (THMs), 18
 - troubleshooting, 28
 - uncovered reservoirs, 26, 27
 - water quality, 15–28
 - water quality degradation, 15, 20–27
 - water supply, 15, 19
 - wet inspections, 57
 - Divers, tank inspection and cleaning, 57
 - Documentation, administration, 480
 - Dose, chlorine, 295, 310
 - Double check valves, 155, 156, 157, 158
 - DPD test, 304, 356, 364
 - Drainage, landscape, 270
 - Draining tanks, 59
 - Drain valves, 140
 - Drinking water
 - laws, 286
 - regulations, 13, 174
 - safety, 286
 - turbidity removal, 14
 - Driving, safety, 389
 - Drums, traffic control, 449
 - Dry-barrel hydrants, 145
 - Dry tapping, 131
 - Ductile-iron pipe, 97, 98, 102
 - Duties of operators, 29, 30
 - Dysentery, contamination of water supply, 6
- ## E
- Eductor, 325
 - Efficiency program, water, 580
 - Ejector, 325
 - Electrical, safety, 399, 404
 - Electrical thawing, 223, 226
 - Electrochemical reaction, 21
 - Electrolysis, 100
 - Electromotive force, 62
 - Electronic water meters, 151
 - Elements of conservation programs
 - audits, water, 575
 - best management practice (BMP), 573, 579
 - commercial, industrial, and institutional (CID), 577
 - commodity rates, 575
 - coordinator, 579
 - large landscape, 575
 - leak detection, 575
 - metering, 575
 - pricing, 578

- Elements of conservation
 - programs (*continued*)
 - public information programs, 576
 - residential plumbing retrofits, 574
 - residential water surveys, 574
 - school education programs, 576
 - system water audits, 575
 - water waste prohibition, 579
 - wholesale agency assistance programs, 577
 - Elevated tanks, 39, 56, 58, 92
 - Emergency
 - chlorine repair kits, 359, 360
 - contaminated water supply, 535–538
 - disinfection, 320
 - maintenance, 56, 519
 - preparation for, 476, 528–539
 - procedures, 168, 267, 536
 - response plan, 476, 528–539
 - traffic control situations, 267
 - treatment, 537
 - Emergency planning
 - disasters, 266
 - mutual aid agreements, 267
 - organization, 268
 - preparation, 266
 - procedures, 267
 - public relations, 48
 - responsibilities, 267
 - staffing, 267
 - training, 266
 - vulnerability assessment, 267
 - Employee
 - benefits, 488
 - evaluation, 489–491
 - grievances, 493, 501
 - orientation, 487
 - problems, 493, 501
 - Right-To-Know laws, 388
 - Employee-management relationship, 500
 - Employer policies, 487, 495
 - Encroachment, 169
 - Endrin, 13
 - Energy conservation
 - see* Conservation
 - Entrain, 23
 - Entry permit, confined space, 460
 - Environmental Protection Agency (EPA)
 - monitoring programs, 174
 - WaterSense partnership program, 580
 - Enzymes, 294
 - Equal Employment Opportunity Commission (EEOC), 499
 - Equipment
 - chlorination, 327
 - records, 260, 571
 - repair/replacement fund, 514
 - safety, 392–396, 541
 - safety guards, 406–409
 - Equipment and stores, 265
 - Evaluation, performance, 489–492
 - Evaporator, chlorine, 343, 347
 - Evapotranspiration, 575
 - Excavation
 - hazardous wastes, 111
 - locating underground utilities, 109
 - mains, 112
 - shoring, 112
 - Excavations in streets
 - cave-ins, 452
 - ladders, 453
 - safety rules, 453
 - shoring, 451
 - spoil, 453
 - trenches, 451
 - underground utilities, 454–456
 - Exercising valves, 234
 - Explosive conditions, safety, 393
 - Explosive limits, 393, 395
 - Extensions, mains, 372
- F**
- Failure, chlorination system, 358
 - Falls, avoiding, 398
 - Family and Medical Leave Act of 1993 (FMLA), 499
 - Filling tanks, 65
 - Filtration, pathogen removal, 291
 - Financial
 - assistance, 517
 - stability, 511
 - Fire demands, 47, 87, 89
 - Fire hydrants
 - See* Hydrants
 - Fires, thawing pipes, 224
 - First aid
 - chlorine, 368
 - safety program, 543
 - First-draw samples, 180
 - Fittings, mains, 142, 143
 - Flagging, traffic control, 433, 437
 - Flag tree warning devices, traffic control, 447
 - Flammable conditions, 393
 - Flanged joint, 102, 106
 - Flexible joint, 102
 - Float on system, 68
 - Flow, distribution systems, 23
 - Flow calculation, 279
 - Flow regulation, valves, 132
 - Flow tests, mains, 211
 - Fluoride, 13, 14
 - Flushing, unidirectional, 213
 - Flushing mains, 212–216
 - FMLA (Family and Medical Leave Act of 1993), 499
 - Foaming agents (MBAS), 14
 - Foot valve, 52
 - Formulas
 - chlorination, 339, 355
 - disinfection, 339, 355
 - Free available residual chlorine, 300
 - Friction losses, 81
 - Frozen chlorine, 350
 - Frozen distribution reservoirs, 68
 - Frozen hydrants, 242
 - Frozen pipes
 - See* Thawing pipes
 - Fuel storage, safety considerations, 411
 - Fund, repair/replacement, 514
- G**
- Galvanized steel pipe, 99
 - Gases, combustible, 393
 - Gases, safety considerations, 394
 - Gate valves, 132, 133
 - Gauges, 71
 - Geographic information system (GIS), 263, 518–519
 - Giardia*, 13, 19, 308
 - Giardiasis, 6, 19
 - GIS (geographic information system), 263, 518–519
 - Globe valves, 134, 135
 - Goals, utility, 476
 - Graywater use, 579
 - Grid systems, 89, 95, 96
 - Grievances, employee, 490, 501
 - Ground-level storage tanks, 40, 41, 43
 - Grounds (yard), maintenance, 56
 - Groundwater
 - contamination, 2
 - recharge, 9
 - source, 8, 11
 - Groups, protected by employment laws, 486
 - Guards, safety equipment, 406–408
- H**
- Handling and lifting, safety practices, 398–399
 - Handling chlorine, safety considerations, 334–335
 - Handling pipe, 95, 108, 109–111
 - Harassment, 495
 - Hazard communication, 544–556
 - Hazardous
 - excavation, wastes, 111
 - facilities, 25
 - wastes, 3
 - Hazards
 - chlorine gas, 334
 - labeling, 551
 - safety, 386
 - Head loss, pipes, 87
 - Health, water quality, 15, 92
 - Health hazards
 - disease, 6
 - groundwater recharge, 9
 - Hearing protection, 464
 - Heat method of disinfection, 293

- Hepatitis, 6, 19
 - Heterotrophic bacteria, 13, 301
 - High-level flag tree warning devices, traffic control, 446, 447
 - High-risk homes, Lead and Copper Rule, 178
 - High Test Hypochlorite (HTH), 297, 314
 - Hiring procedures, 480–487
 - Homeland Security Advisory System, 533, 534
 - Hot tapping, 209
 - HTH (High Test Hypochlorite), 297, 314
 - Human factors, safety, 567
 - Hydrants
 - components, 144
 - distribution systems, 87, 123, 239
 - frozen, 239
 - inspection, 239
 - mains, 143, 242
 - maintenance, 239
 - maps, 260, 262
 - operation, 239
 - painting, 242
 - record form, 239, 240–241
 - types, 144, 145
 - vandalism, 242
 - Hydraulic grade line, 81–83
 - Hydraulic gradient, 211
 - Hydraulics, distribution systems, 81–86
 - Hydraulic shoring, 116, 117
 - Hydrogen sulfide, 394
 - chlorine reaction with, 296
 - Hydro-pneumatic tanks, 40, 41, 43
 - Hypochlorinators
 - feed system, 326
 - operation, 324
 - performance, 336
 - Hypochlorite
 - calcium hypochlorite, 297
 - disinfection, 297
 - forms, 252
 - HTH (High Test Hypochlorite), 297
 - hypochlorous acid, 295, 296, 298, 300
 - ion, 295
 - reactions with water, 297
 - safety, 369
 - sodium hypochlorite, 297
 - Hypochlorous acid, 295, 296, 298, 300
- I**
- Ice, chlorine, 350
 - IDLH (Immediately Dangerous to Life or Health), 333, 363
 - IESWTR (Interim Enhanced Surface Water Treatment Rule), 288
 - Impermeable surfaces, 6
 - Improving system management, 474
 - Incident commander for emergency response, 535
 - Inhibitors, corrosion, 250
 - Injection point, chlorine, 307
 - Injector, chlorine, 325, 330, 350, 357
 - Injuries, prevention, 386
 - Injuries, safety, 386
 - Inorganic chemicals, 13
 - Inorganic matter, 290
 - Inquiries, pre-employment, 483, 484–485
 - Inspection
 - hydrants, 239
 - ladders, 458
 - reservoirs, 56
 - safety, 405, 466–467
 - safety report form, 466–467
 - storage facilities, 57, 58, 59, 68
 - tanks, 56
 - Installation
 - chlorination equipment, 325, 362
 - meters, 151, 152
 - pipe, 95, 98, 108, 111, 120, 451
 - service line, 152
 - Instrumentation, storage facilities, 46–52
 - Intake structures, reservoirs, 7
 - Interface of pipe and water, 24
 - Interim Enhanced Surface Water Treatment Rule (IESWTR), 288
 - Internal parasites, 18
 - Interview
 - job, 483–487
 - media, 507
 - Inventory, supplies, 571
 - Iodine, disinfection, 293
 - Ion, 62
 - Iron, 14
 - Iron and manganese control
 - chlorine dioxide, 299
 - secondary maximum contaminant level (SMCL), 14
 - Irrigation
 - reclaimed water, 8
 - runoff, 3, 6
- J**
- Job
 - duties, 474
 - interview, 483–487
 - knowledge and skills needed, 29
 - Jointing, mains, 123
 - Joints, 102–106
- L**
- Labeling hazards, 551
 - Laboratory
 - chlorination tests, 356
 - chlorine residual tests, 363
 - colorimeter, 365
 - Ladders, safety considerations, 456, 457–458
 - Lakes, sources of water, 6
 - Landscaping, surface water drainage, 273
 - Land subsidence, 8
 - Large landscape conservation, 575
 - Laws, drinking water, 286
 - Laying pipe, 120
 - Layout
 - distribution systems, 80, 89, 95, 96
 - utility lines, 110
 - valves, 141
 - Lead, 13
 - Lead and Copper Rule, 23, 174, 178, 180
 - Leaks
 - chlorine, 335, 343, 352, 357, 358–362, 367
 - detecting, 575
 - rate, 126
 - water, 125, 171, 201–208, 260
 - Legal liability, water system, 259
 - LEL (lower explosive limit), 393, 395
 - Levels of water, tanks, 49, 51
 - Lifeline rates, 578
 - Lifting, safety considerations, 398
 - Lighting devices, traffic control, 450
 - Limits on water, 2
 - Lindane, 13
 - Listening skills, 502
 - Locating pipes, 206
 - Location
 - chlorination equipment, 362
 - sampling, 178
 - storage facilities, 45, 91, 92
 - Lockout/tagout procedure, 410
 - Long Term 2 Enhanced Surface Water Treatment Rule (LT2ESWTR), 288
 - Looped distribution system, 89, 95, 96
 - Lower explosive limit (LEL), 393, 395
 - LT2ESWTR (Long Term 2 Enhanced Surface Water Treatment Rule), 288
 - Lubricants, safety considerations, 411
- M**
- Macroscopic organisms, 18
 - Magnetic meters, 151
 - Mains, water
 - appurtenances, 132
 - asbestos-cement pipe, 100, 104, 107
 - backfilling, 124
 - bedding, 108, 120
 - bell and spigot coupling, 105, 106
 - branching systems, 95, 96
 - breaks, 232
 - cast-iron pipe, 97
 - cathodic protection, 95
 - cement-mortar lining, 222–223
 - cleaning, 216–221
 - concrete pipe, 99, 104
 - connections, 152, 153, 208
 - corporation stop, 125, 152, 153
 - corrosion control, 95, 98, 108, 249
 - couplings, 102, 104, 106, 107, 143
 - coupons, 171, 249

Mains, water (*continued*)

dead ends, 89, 95
 disinfection, 129, 251, 315–322
 distribution systems, 23
 Also see Distribution systems
 dry tapping, 131
 ductile-iron pipe, 97, 98, 101
 excavation, 111
 extensions, 131
 failure report, 233
 fittings, 142, 143
 flanged joint, 102, 106
 flexible joint, 102
 flow tests, 211
 flushing, 212–215
 grid, 89, 95
 handling, 95, 108, 109, 111
 hydrants, 143, 239
 installation, 95, 98, 108, 112, 120
 joints, 102–106, 120
 laying, 120
 layout, 95, 96
 leaks, 125, 170, 201–208
 loop systems, 95, 96
 meters, 146, 152, 242
 Also see Meters
 pigs, 216–221
 pipe, 94, 95
 pipe extensions, 131
 pipe laying and jointing, 120
 plastic pipe, 100, 104, 111
 pressure tests, 125–129, 211
 pulled services, 207
 recordkeeping, 233, 260
 repairs, 207–209
 saddles, 131
 safety, 130
 service deficiencies, 209
 service pipe, 97, 101, 152
 services, 209
 sewer location, 109
 shoring, 111, 207
 Also see Shoring
 steel pipe, 99, 103, 108
 stringing, 120
 surveillance, 170
 swabs, 216–221
 tapping, 131, 209
 testing, 125–129
 thawing, 223, 226–232
 thrust blocks, 83, 108, 123, 124
 tree distribution systems, 95, 96
 valves, 132, 140, 231
 Also see Valves
 Victaulic coupling, 102
 water quality problems, 95, 212
 welded joints, 105
 wet tapping, 131

Maintenance

administration, 519–527
 chlorination equipment, 342, 358, 367
 corrective, 519

corrosion control, 61
 cross-connection control, 182, 525
 distribution system, 168
 emergency, 56, 519
 hydrants, 239
 meters, 146, 152, 247
 painting, 58–61
 predictive, 519
 preventive, 519
 pumps, 195
 record form, 187
 recordkeeping, 569
 records, 259
 safety, 408
 storage facilities, 56, 58
 types, 519
 valves, 236

Management

See Administration
 Management, safety, 386
 Managerial functions, 475
 Manager's responsibilities, 474, 480, 518
 Also see Administration
 Manganese, 14
 Manifold, 331, 363
 Manual on Uniform Traffic Control Devices (MUTCD), 412
 Maps, 232, 236, 260–264
 Material safety data sheet (MSDS), 549
 Math assignment, 33, 75, 162, 279, 381
 Also see Calculations
 Maximum contaminant level (MCL), 13, 174
 MBAS (foaming agents), 14
 MCL (maximum contaminant level), 13, 174
 Measurement, safety, 563
 Media, news, 507
 Meetings, conducting, 505
 Membrane filter (MF) test, 169, 254, 257
 Mercury, 13
 Metering
 chlorine, 325, 331
 conservation, 574

Meters

accuracy, 147, 245
 calculations, 242–246
 compound, 147, 150
 displacement, 147
 electronic, 151
 installation, 152, 153
 magnetic, 151
 maintenance, 247
 nutating disc, 147, 247
 orifice, 149
 piston, 147
 Pitotmeter, 205, 206
 propeller, 149
 proportional, 151
 purpose, 146
 reading, 246, 247
 readouts, 246, 249
 registers, 246
 requirements, 153

revenue loss, 242
 selection, 146
 size, 154
 sonic, 151
 testing, 242
 turbine, 149–150
 types, 146
 velocity, 149
 Venturi, 149

Meters and curb boxes, surveillance, 171

Methoxychlor, 13

Microbial standards, 13, 287

Microorganisms, 290

Milky water, 23, 25

Mixing, chlorine, 307

Monitoring

chlorination, 287
 disinfection, 287

Monitoring, water quality

annual running TTHM average, 175–177
 average measurements, 175
 bacteriological sampling, 178
 calculations, 175, 176
 chlorine residual, 179, 364
 Lead and Copper Rule, 180
 location of sampling, 178
 maximum contaminant levels, 174
 program, 27, 173
 running TTHM average, 175–177
 sampling, 178, 180
 sanitary survey, 175, 261

Monitoring equipment, safety, 392, 396

Monochloramine, 291, 301

Moving parts, safety, 406–408

MSDS (material safety data sheet), 549

Multiple-tube fermentation (MTF) test, 257

MUTCD (Manual on Uniform Traffic Control Devices), 412

N

Nameplate, 74
 National drinking water regulations, 174
 National Labor Relations Act, 501
 National Primary Drinking Water Regulations (NPDWRs), 12, 174
 National Secondary Drinking Water Regulations (NSDWRs), 174
 Negligence, safety, 387
 Negotiations, contract, 500
 Neutralization of chlorine, 67, 257
 New employee orientation, 487
 News media, 507
 Nitrate, MCL (maximum contaminant level), 13
 Nitrification, 302, 304
 Nitrite-oxidizing bacteria, 304
 Noise exposure, safety, 463, 465
 Non-permit-required confined space, 461
 Normal conditions, chlorination, 324, 336, 345

- North American Industry Classification System (NAICS) code, 577
 - NPDWRs (National Primary Drinking Water Regulations), 12, 174
 - NSDWRs (National Secondary Drinking Water Regulations), 174
 - Nutating-disc meter, 147, 247
- O**
- Objective, water treatment, 10
 - Occupational Safety and Health Act of 1970 (OSH Act of 1970), 114, 431, 540
 - Occupational Safety and Health Administration (OSHA), 396
 - Odor threshold, 14
 - On-site chlorine generation, 298
 - Operating ratio, 511
 - Operation
 - chlorination, 336–354
 - disinfection, 336–354
 - Operation and maintenance (O&M)
 - administration, 518–528
 - distribution systems
 - See Distribution system O&M
 - hydrants, 239
 - operator's duties, 30
 - storage facilities, 48, 68
 - valves, 140
 - Operator
 - certification, 29, 30, 488
 - complaint handling, 32
 - duties, 29, 30
 - operation and maintenance, 30
 - protection
 - first-aid equipment, 543
 - safety program, 539–567
 - public relations, 31
 - qualifications, 29
 - recordkeeping, 30
 - requirements, 10
 - safety, 32, 365, 369
 - salary, 29
 - staffing needs, 29
 - supervision and administration, 30
 - training courses, 33
 - Oral communication, 502
 - Ordinance, cross-connection control, 184, 527
 - Organics
 - chlorine demand, 290, 299
 - MCL (maximum contaminant level), 13
 - Organizational plan, 476, 477
 - Organizing, administration, 475, 476
 - Orientation, new employee, 487
 - Orifice plate meter, 149
 - Orthophosphate corrosion inhibitors, 250
 - OSHA (Occupational Safety and Health Administration), 396
 - OSH Act of 1970 (Occupational Safety and Health Act of 1970), 114, 431, 540
 - Overflows, tanks, 68, 69
 - Overturn, lake, 6
 - Oxidizing agent, 299
 - Oxygen deficiency/enrichment, 392, 461
 - Ozone
 - disinfection, 293
 - mixed oxidants, 291
- P**
- Painting
 - hydrants, 242
 - safety considerations, 60, 61
 - tanks, 58–61
 - Palatable, water quality, 15
 - Paper screening, 483
 - Parallel, pumps, 94
 - Parasites, 18, 19
 - Pathogenic organisms, 18, 19
 - Pathogen removal, 290
 - Patrolling storage facilities, 169
 - Pay, operator, 29
 - Payback time calculation, 513
 - PCBs (polychlorinated biphenyls), 60
 - PCMS (portable changeable message sign), 444
 - Peak water demand, 38
 - Pedestrian safety, traffic control, 130, 412, 428, 452
 - Performance evaluation, 489–492
 - Permit-required confined space, 460, 461
 - Permits, confined space entry, 557
 - Personal safety, 130, 392
 - Personnel records, 480, 500
 - pH
 - chlorination efficiency, 289, 296, 308
 - SMCL (secondary maximum contaminant level), 14
 - Phenol, 301
 - Phenolic tastes and odors, 298
 - Phosphate corrosion inhibitors, 250
 - Physical
 - characteristics of water, 18
 - disinfection, 292
 - water quality, 13
 - Physiological response, chlorine, 366
 - Pigs, 216–221
 - Pigtail tubing, 335
 - Pipe
 - bedding, 108
 - characteristics, 95
 - cleaning, 216–221
 - couplings, 102, 104, 106, 107, 143
 - extensions, 131
 - fittings, 142, 143
 - flushing, 212–214
 - handling, 95, 107, 109–111
 - installation, 108
 - laying and jointing, 120–123
 - lining, 222–223
 - locating (buried), 206
 - materials, 95, 97–101
 - plastic, 100, 101, 104, 111
 - prestressed, 99
 - protection, 108
 - pushers, 265
 - repairs, 207–209
 - steel, 97, 105, 108
 - storage, 109–111
 - types, 97
 - Piston meters, 147, 149
 - Pitotmeter, 205, 206
 - Pitot tube, 205
 - Plan, organizational, 476, 477
 - Plan and profile map, 263
 - Planning
 - administration, 475, 476
 - emergencies, 476
 - Plan review, chlorine facilities, 362
 - Plant
 - operations data, 569
 - records, 568–572
 - tours, 510
 - Plastic pipe
 - characteristics, 100
 - joints, 104
 - service lines, 101
 - storage on site, 109
 - Plugging, wells, 405
 - Plug valves, 132
 - Policies and procedures, administration, 487
 - Policy, safety, 386
 - Policy, thawing pipes, 228
 - Policy statement, safety, 540
 - Polychlorinated biphenyls (PCBs), 60
 - Polyphosphates
 - corrosion control, 62
 - safety, 62
 - storage facilities, 62
 - Poppet valves, 338
 - Population decline, 492
 - Population served, 288
 - Portable changeable message sign (PCMS), 444
 - Positive coliform results, 54, 55
 - Postammoniation, 302
 - Postchlorination, 307, 354
 - Powered valve operators, 234, 235
 - Preammoniation, 302
 - Prechlorination, 297, 307, 318, 354
 - Predictive maintenance, 519
 - Pre-employment inquiries, 483, 484–485
 - Preparing for emergencies, 528
 - Present worth, capital improvements, 516
 - Pressure
 - distribution system, 45, 80, 86
 - head, 81
 - reducing valves, 88, 136
 - regulation valves, 137
 - relief valves, 139
 - sustaining valves, 136
 - tanks, 38, 41, 43
 - tests, 125–129, 211
 - vacuum breaker, 155, 526

Prestressed pipe, 99
 Preventing accidents, 386
 Preventive maintenance, 168, 519
Also see Maintenance
 Pricing, conservation, 578
 Primary drinking water regulations, 174
 Prime, pumps, 52, 53, 196
 Priorities, emergencies, 267
 Probationary period, 487
 Problem employees, 490
 Process, disinfection, 292
 Procurement of materials, 569, 570
 Procurement records, 569
 Productive meetings, 505
 Profile, qualifications, 481
 Program, safety, 32, 386
 Propeller meters, 149
 Proportional meters, 151
 Protected groups, employment laws, 486
 Protection from chlorine, 334
 Protective clothing, 397, 398
 Public health, 6, 9, 10, 536–537
 Public information programs, conservation, 576
 Public relations
 campaigns, 506–511
 communication, 268
 consumer complaints, 269–271
 distribution system O&M, 268
 forms, 271, 272
 operator's duties, 30
 Public safety, 403, 428–431, 452
 Public speaking, 508
 Pulled services, 207
 Pump failure, 194
 Pumping, distribution storage, 93
 Pumps, unbalanced current, 199–201
 Pumps, wells
 booster, 71
 distribution system, 195
 maintenance, 195
 parallel, 94
 safety, 406–411
 Purchase order, 512, 570

Q

Qualifications for operator jobs, 29
 Qualifications profile, 481
 Quality degradation, 15, 20–28

R

Radioactivity, MCL (maximum contaminant level), 14
 Radiological water quality, 13
 Rate of chlorine withdrawal, 335, 362
 Rates, water, 2, 515
 Reading meters, 248

Readouts, meters, 249
 Reclaimed water, 9
 Recognition, employee, 488, 489
 Record drawings (as-built plans), 31, 109, 262
 Recordkeeping
 accident reports, 558
 as-builts (record drawings), 31, 109, 262
 bacteriological analyses, 261
 chemical analyses, 261
 computerized, 571
 consumer complaints, 259
 daily log, 260
 disposing of records, 572
 distribution system, 260
 equipment, 260, 571
 hydrants, 239, 240–241
 inventory, 571
 litigation and legal liability, 259
 mains, water, 233, 261
 maintenance, 259, 569
 maps
 hydrant, 261, 262
 leak survey, 262
 plan and profile, 263
 symbols, 262
 valve, 261
 nameplate, 74
 operations data, 569
 operator's responsibility, 30
 personnel, 480, 500
 planning, 259
 plant, 568–572
 procurement, 569
 purchase order, 570
 purpose, 568
 record drawings (as-builts), 32, 109, 262
 report preparation, 259
 requisition, 570
 retention of records, 261, 572
 safety, 556
 sanitary survey, 175, 261
 sectional plat, 260, 261
 storage facilities, 74
 types, 260
 valves, 236, 237
 work orders, 260

Records

See Recordkeeping
 Reduced-pressure (RP) devices, 156, 157, 159
 Reducing agents, 257, 289, 290, 296, 307
 Red water, 21, 269
 Registers, meters, 246
 Regulations
 monitoring programs, 174
 OSH Act of 1970, 540
 SDWA (Safe Drinking Water Act), 31, 286
 street work, 419
 Regulator stations, valves, 70
 Regulatory agencies, safety, 540
 Remote reading, meters, 246
 Removal processes

 chlorine, 335
 pathogenic organisms, 292
 Repair/replacement fund, 514
 Repairs
 distribution systems, 25, 168
 mains, 25, 207–209
 safety, 408
 valves, 238
 Replacement cost, 514
 Reporting, safety, 558
 Report preparation, 259
 Report writing, 503–505
 Requisition, 513
 Requisition system, 570
 Reservoirs
 covers, 26
 distribution system, 26–27, 38, 68, 169
 stratification, 6
 Residential
 plumbing retrofits, 574
 water surveys, 574
 Residual analyzer, chlorine, 350, 351
 Residual chlorine, 179, 291, 292, 294, 299, 301, 302, 306, 307, 350, 364
 Responsibilities
 managers, 474, 480
 operator
 cross-connection control, 526
 emergencies, 266
 safety, 32, 386
 shoring, 116
 organizational structure, 478
 Retention time, records, 261
 Retrofits, residential plumbing, 574
 Revenue loss, 242
 Right-To-Know (RTK) laws, 388, 544–556
 Rivers, sources of water, 6
 Rotameter, 327
 Routing traffic, 411–451
 RTK (Right-To-Know) laws, 388, 544–556
 Running TTHM average, 175–177

S

Sacrificial anode, 62
 Saddles, mains, 131, 209
 Safe Drinking Water Act (SDWA), 31, 286
 Safe drinking water laws, 31, 286
 Safe procedures
 emergency traffic control situations, 420
 hazard communication, 544–556
 high-visibility clothing, 432
 noise exposure, 464
 portable changeable message sign (PCMS), 444
 regulations, street work, 419
 Right-To-Know laws, 544–556
 speed limits in work zones, 432
 street work regulations, 419
 traffic control, 417, 420, 436–451

- Safety
- accident
 - causes, 387, 539
 - excavations, 453
 - prevention, 386, 387
 - reports, 558, 559, 560
 - types, 392
 - acids, 400, 403
 - additional resources, 466–467
 - awareness, 386
 - battery charging, 390–391
 - boats, 391
 - Call Before You Dig program (811), 454
 - carbon monoxide, 392
 - causes of work injuries, 387
 - cave-ins, 452
 - chemicals, 252, 402
 - chlorination, 365–370
 - chlorine, 404
 - clothing, 397–398
 - coatings, 402, 459
 - combustible gases, 392
 - competent person, 461
 - confined space, 392, 393, 396, 459, 556–558
 - confined space entry permit, 460
 - corrosive chemicals, 399
 - costs, 564
 - dangerous air contamination, 392, 394–395, 461
 - definition, 386
 - disinfection, 403
 - distribution systems, 130
 - drinking water, 286
 - driving, 389
 - education, 561
 - electrical, 399, 404
 - emergencies, 543
 - equipment, 392–393, 396
 - excavations, 451
 - explosive conditions, 393
 - explosive limits, 393, 395
 - falls, avoiding, 398, 456
 - first aid, 543–544
 - flammable conditions, 393
 - fuel, 411
 - gases, 394
 - guards on equipment, 406–408
 - handling and lifting, 398
 - hazards, 386, 398–399
 - hearing protection, 464
 - human factors, 567
 - hydrogen sulfide, 392
 - hypochlorite, 369
 - injuries, 386
 - injury rate, 564
 - inspection, 405, 466–467
 - inspection by competent person, 116, 451
 - ladders, 453, 456, 457–458
 - laying pipe, 130
 - lifting, 398
 - lockout/tagout procedure, 410
 - lower explosive limit (LEL), 393, 395
 - lubricants, 411
 - mains, 254
 - maintenance, 408
 - management, 386
 - measuring, 563
 - monitoring equipment, 392, 396
 - moving parts, 406–408
 - negligence, 387
 - noise exposure, 463
 - non-permit-required confined space, 461
 - OSH Act of 1970 (Occupational Safety and Health Act of 1970), 114
 - objectives, 386
 - operator, 32, 543
 - OSHA (Occupational Safety and Health Administration), 396
 - oxygen deficiency/enrichment, 392, 461
 - painting, 60, 61
 - pedestrian traffic control, 130, 412, 428, 452
 - permit, confined space, 557
 - permit-required confined space, 460, 461
 - personal, 130, 392
 - policy, 386
 - policy statement, 540
 - polyphosphate, 62
 - preventing accidents, 386
 - prevention of accidents, 386
 - program, 32, 386, 539–567
 - protective clothing, 397, 398
 - public, 428–431, 452
 - pumps, 406–411
 - regulatory agencies, 540
 - repair, 409
 - reporting, 558, 559, 560
 - responsibilities, 32, 386
 - Right-To-Know laws, 388
 - safety data sheet (SDS), 388
 - security, facilities, 531–535
 - shoring, 114, 451, 452
 - sling, 409
 - slips, 398, 456
 - standard operating procedures (SOPs), 544
 - statistics, 563
 - storage facilities, water, 62, 64, 74, 456
 - storage of fuel, 411
 - street work, 411–455
 - supervisors, 539, 541, 559, 561
 - tailgate
 - safety sessions, 116, 387
 - training, 562
 - tanks, 402, 459
 - threat levels, security advisory, 533
 - toxic gases, 392
 - traffic control
 - See* Traffic control
 - trailers, towing, 389
 - training, 386, 459, 487, 561
 - trenches, 116, 451
 - underground utilities, 109, 454–455
 - unsafe acts, 386, 387, 398, 543
 - upper explosive limit (UEL), 393, 395
 - valves, 139
 - ventilation, 333, 393, 404, 461
 - water storage facilities, 62, 64, 74, 456
 - wells, 400, 402, 403
 - working in streets, 411–455
 - Also see* Traffic control
- Safety data sheet (SDS), 388
- Safety program, small plants, 386
- Salary, operator, 29
- Sampling
 - chlorination, 287
 - disinfection, 287
 - first-draw samples, 180
 - Lead and Copper Rule, 178, 180
 - storage facilities, 54, 60
 - water quality, 178, 180
- Sandblasting, 59
- Sanitary hazards, 169
- Sanitary landfills, 3
- Sanitary survey, 175, 261
 - records, 261, 275
 - water quality, 175
- Saturation zone, 7
- SCADA (supervisory control and data acquisition) systems
 - communications, 522
 - description, 264, 522
 - distribution systems, 521–525
 - treatment plants, 521–525
- Screw jack, 116, 118
- SDS (safety data sheet), 388
- SDWA (Safe Drinking Water Act), 31, 286
- Seawater intrusion, 3, 8
- Secondary drinking water regulations, 12, 14, 174
- Sectional plat, 261
- Security, facilities, 531–535
- Sedimentation (settling), pathogen removal, 290
- Selection, employees, 483
- Selenium, 13
- Self-contained breathing apparatus, 335, 359, 365, 367
- Septic tank leaching systems, 3
- Service cost recovery, 578
- Service deficiencies, 209
- Service lines, 97, 101, 152
- Sewers, location from mains, 109
- Sexual harassment, 495
- Shield shoring, 120, 121
- Shop steward, 500
- Shoring
 - air shores, 116, 119
 - aluminum, 117
 - cave-ins, 453
 - cylinder, 120, 121

- Shoring (*continued*)
 distribution system, 207
 equipment, 113
 excavation, 111
 hydraulic, 116, 117
 mains, water, 112, 209
 need, 112
 OSHA (Occupational Safety and Health Administration), 114
 regulations, 114
 requirements, 114
 responsibility, 116
 safety, 114, 451, 543
 screw jacks, 116, 118
 shield, 120, 121
 solid sheeting, 117, 119
 types, 112, 116
- Shortage, water, 2
- Shutdown, chlorination, 337
- Shutoff valves, 132, 152
- Signal transmitters, 521
- Signs, traffic control, 416, 445, 447
Also see Traffic control
- Silt, source, 6
- Silver, 14
- Slide valve, 132
- Sling, safety, 409
- Slips, safety, 398, 456
- Slope, pipe, 81
- Sodium hypochlorite, 297
- Solid sheeting, 117, 119
- Solution feeders, 325, 326, 337
- Sonic meters, 151
- Sources of contaminants, 19
- Sources of water
 description, 4
 direct runoff, 6
 groundwater, 7, 11
 lakes, 6
 ocean, 4
 reclaimed water, 8
 reservoirs, 6
 rivers, 6
 springs, 8
 streams, 6
 surface water, 6, 11
 wells, 8
- Specifications
 disinfection, 321
 review, chlorine facilities, 362
- Speed limits in work zones, 432
- Spoil, 451
- Spore-forming bacteria, 290
- Staffing
 advertising positions, 483
 applications, job, 483
 certification, 488
 compensation, 483, 488
 disciplinary problems, 490
 emergencies, 266
 employee
 grievances, 490, 501
 orientation, 487
 problems, 490, 501
 employee-management relationship, 500
 employer policies, 487, 495
 evaluation, performance, 489–492
 groups, protected, 486
 harassment, 495
 hiring procedures, 480–487
 interviewing, 483–487
 manager's responsibilities, 474, 479
 managing employees, 480
 National Labor Relations Act, 501
 needs, 29
 orientation, new employees, 487
 paper screening, 483
 performance evaluation, 489–490
 personnel records, 500
 policies, employer, 487, 495
 probationary period, 487
 problem employees, 490
 protected groups, 486
 qualifications profile, 481
 retaliation, 498
 selection process, 486
 sexual harassment, 495
 training, 488
 unions, 500
- Stage 2 Disinfection Byproducts (Stage 2 D/DBP), 288
- Stale water, 47
- Standard Industrial Classifications (SIC) code, 577
- Standard operating procedures (SOPs), 544
- Standards
 microbial, 13, 286
 water quality, 12
- Standby facilities, 47
- Standpipes, 40, 42, 92
- Startup
 chlorination, 337, 342
 disinfection, 337, 342
- Static head, 86
- Steam thawing, 225
- Steel pipe
 characteristics, 98
 corrosion control, 108
 joints, 105
- Sterilization, 286
- Steward, shop, 500
- Stopping distance, vehicle, 416
- Storage, chlorine
 containers, 346, 362
 procedures, 334
- Storage facilities (water)
 advantages, 38
 altitude control valves, 49, 70
 booster pumps, 70
 calculations, 50, 64, 66
 cathodic protection, 61, 63
 chlorine, neutralization, 67
 clear wells, 40, 42
 coatings, 58–60
 color, water quality problem, 55
 concrete storage facilities, 68
 controls, instruments, 51, 69, 74
 corrosion control, 61
 cross-connections, 93
 demand, meeting, 38, 46
 description, 9
 disinfection, 64–68, 256
 distribution system pressures, 44, 45
 distribution systems, 26, 90, 195
 draining, 59
 elevated tanks, 39, 40, 42, 92
 emergency plans, 47
 filling, 65
 fire demands, 47
 frozen distribution reservoirs, 68
 gauges, 70
 ground-level storage tanks, 40, 41, 43
 grounds (yard), 56
 health, 191
 hydropneumatic tanks, 40, 41, 43
 inspection, 56, 58, 59, 68
 inspections, wet, 57
 instrumentation, 47–52
 levels of water, 48, 51
 location, 45, 91, 92
 maintenance, 56, 58
 neutralization of chlorine, 67
 operation, 46, 48, 68
 operator responsibility, 74
 overflows, 43, 69
 painting, 58–60
 polyphosphate, 62
 positive coliform results, 54, 55
 pressures, 45, 46
 pressure tanks, 40, 41, 43
 pumps, 48, 52, 93
 purpose, 38, 90
 recordkeeping, 74
 regulator stations, 71
 related equipment, 74
 requirements, 38, 47
 reservoirs, 68
 sacrificial anode, 62
 safety, 62, 64, 74, 456
 sampling, 54, 59
 sandblasting, 59
 stale water, 47
 standby facilities, 47–48
 standpipes, 40, 42, 92
 surge tanks, 40, 43–44
 system pressures, 45, 47, 194
 tastes and odors, 47, 55, 60
 thawing frozen reservoirs, 70
 troubleshooting, 54, 55, 72, 73
 turbidity, 55
 types, 38, 91–92
 valves, regulator stations, 70
 vents, 43, 68, 69
 water quality problems, 54, 55, 93
 wet inspections, 57

- Storing fuel, 411
 - Stratification, reservoirs, 6
 - Street work
 - Also see* Traffic control
 - regulations, 419
 - safety, 411–455
 - Stringing pipe, 120
 - Subsidence, land, 8
 - Suction lift, 196
 - Sulfate, SMCL (secondary maximum contaminant level), 14
 - Supervising inquiries, pre-employment, 484–485
 - Supervision, 30, 489
 - Supervisors, safety, 539, 541, 559, 561
 - Supervisory control and data acquisition (SCADA) systems
 - communications, 522
 - description, 264, 521
 - distribution systems, 521–524
 - treatment plants, 521–524
 - Surface water, 6
 - Surface water drainage, managing, 270
 - Surface Water Treatment Rule (SWTR), 286, 308
 - Surge chambers, 84
 - Surges, 43–44, 47
 - Surge tanks, 40, 41, 43–44
 - Surveillance of distribution systems
 - blowoffs, 171
 - cross-connection control, 173, 181
 - deterioration, 169
 - encroachment, 169
 - leaks, 170
 - mains, 171
 - meters and curb boxes, 171
 - monitoring, 173
 - patrolling facilities, 169
 - sanitary hazards, 169
 - storage facilities, 169, 195
 - telemetry, 173
 - valves, 173
 - vandalism, 169, 172
 - water quality, 169, 173
 - Survey form
 - complaint, 271
 - cross-connection control, 185
 - customer service, 272
 - Swabs, 218–221
 - SWTR (Surface Water Treatment Rule), 286, 308
 - Symbols, maps, 261, 262
 - System pressures, 45, 47, 194
 - System vulnerability, 529
 - System water audits, 575
- T**
- Tablets, chlorine, 252
 - Tailgate safety meeting, 116, 387
 - Tailgate training, 562
 - Tanks
 - chlorine, 332, 360
 - cleaning, 57
 - disinfection, 322
 - inspection, 56
 - painting, 58–60
 - safety, 402, 459
 - Tapers, traffic control, 424, 427
 - Tapping, pipe, 131, 209
 - Target audience, communications, 502, 503, 506
 - Taste and odor control
 - bitter tastes, 293
 - chlorine, 301, 355
 - chlorine dioxide, 301
 - odor, secondary maximum contaminant level (SMCL), 12
 - Tastes and odors
 - causes, 47, 55, 60
 - protective coatings, 55, 60
 - stale water, 47
 - troubleshooting, 55
 - TCE (trichloroethylene), 2
 - TDS (total dissolved solids), 14
 - Telemetry
 - instrumentation, 522
 - surveillance, 173
 - Telephone contacts, 508–509
 - Temperature
 - chlorination, 289, 307
 - disinfection, 289, 307
 - distribution system, 23
 - water quality, 23
 - Temporary traffic control (TTC) zones, 411–451
 - Also see* Traffic control
 - Testing, mains, water, 125–129
 - Thawing frozen reservoirs, 70
 - Thawing pipes
 - dangers, 224
 - electrical thawing, 224, 226
 - fires, 224
 - flushing, 228–231
 - hot water, 224
 - mains, 224, 226–231
 - policy, 228
 - steam, 225
 - THMs (trihalomethanes), 14, 18, 174, 175, 290, 291, 299
 - Threat response, contaminated water supply, 536
 - Threshold odor, 14
 - Thrust blocks, 83, 108, 123–124
 - Time, detention
 - chlorine, 308
 - curves, 308
 - Time in distribution system, 23
 - Time-weighted average (TWA), 465
 - Ton tanks, chlorine, 332
 - Topography, 8
 - Total dissolved solids (TDS), 14
 - Tours, plant, 510
 - Toxic gases, 392, 393
 - Traffic control
 - barricades, 448, 450
 - devices, 415, 436–451
 - drums, 449
 - flagging, 437
 - high-level flag tree warning devices, 446, 447
 - pedestrian safety, 428, 430, 452
 - signs, 416, 445, 447
 - stopping distances, 417
 - street closure, 420
 - tapers, 424, 427
 - temporary traffic control (TTC) zones, 411–451
 - trenches, safety considerations, 451–452
 - visibility, clothing for worker safety, 432
 - Trailers, towing, 389
 - Training
 - administration, 487
 - collection system operators, 466
 - course, 33
 - emergencies, 266
 - flaggers, 433
 - safety, 369, 386, 459, 488, 561
 - Transmission systems, 90
 - Transpiration, 7
 - Treatment, emergency, 537
 - Treatment facilities, purpose, 9
 - Treatment processes
 - by source water, 11
 - reclaimed water, 9
 - Tree distribution systems, 159, 160
 - Trenches, safety, 116, 451–452
 - Trichloramine, 301
 - Trichloroethylene (TCE), 2
 - Trihalomethanes (THMs), 14, 18, 174, 175, 290, 291, 299
 - Troubleshooting
 - chlorination equipment, 357, 358
 - disinfection equipment, 357, 358
 - distribution systems, 27–28
 - storage facilities, 54, 55, 72, 73
 - water quality, 27–28, 54, 55
 - TTC (temporary traffic control) zones. *See* Temporary traffic control (TTC)
 - Tubercle, 22
 - Tuberculosis, 97, 171
 - Tubing, pigtail, 335
 - Turbidity
 - chlorination, 289, 307
 - disinfection, 289, 307
 - storage tanks, 55
 - Turbidity units, 54
 - Turbine meters, 149–150
 - Turnover, lake, 5
 - TWA (time-weighted average), 465
 - Typhoid, contamination of water supply, 5

U

UEL (upper explosive limit), 393, 395
 Ultra-low-flush [flow] toilet (ULFT), 574, 578, 579
 Ultrasonic waves, 293
 Ultraviolet (UV) systems, disinfection, 291, 292
 Unaccounted-for water (UFW), 204, 474
 Unbalanced voltage, 197–201
 Uncovered reservoirs, 26, 27
 Underground service alert (USA), 109
 Underground utilities
 Call Before You Dig program (811), 454
 excavations, 451–455
 locating, 109
 Unidirectional flushing, 212
 Unions, 500
 Unity of command, 476
 Unsafe acts, 386, 387, 398, 543
 Upper explosive limit (UEL), 393, 395
 USA (underground service alert), 109
 Utility lines, locating, 109, 110
 Utility management, 474

V

Vacuum-controlled chlorinator, 327–332, 350
 Valves
 air release, 136, 138
 altitude control, 49, 70, 139
 backflow prevention, 140, 152, 155–156
 ball, 132
 blowoff, 140, 171
 boxes for valves, 140
 butterfly, 132, 133
 cavitation, 234
 check, 94, 140, 159
 chlorination, 335, 338, 341, 342, 349
 corporation stop, 125, 152, 153
 corrosion, 238
 couplings, 143
 curb stop, 152
 diaphragm, 135
 distribution systems, 88, 132, 232
 double-check type, 155
 drain, 140
 exercising, 234
 flow regulation, 132
 gate, 132, 133
 globe, 134, 135
 layout, 141
 mains, water, 132, 141, 232
 maintenance, 238
 map, 234, 236, 260
 operation, 141
 plug, 132
 powered operation, 234, 235

pressure reducing, 88, 136
 pressure relief, 139
 pressure sustaining, 136
 protection, 139
 record form, 236, 237
 regulator stations, 70
 repairs, 238
 safety, 139
 shutoff, 132
 slide, 132
 surveillance, 171
 types, 132
 vacuum relief, 136
 vaults for valves, 140
 water hammer, 234
 Vandalism, 169, 172, 242
 Vaults for valves, 140
 Velocity meters, 146, 149
 Ventilation
 chlorine rooms, 333
 safety, 333, 393, 402, 459
 Vents, storage facilities, 43, 68, 69
 Venturi meters, 149
 Vertical traffic control panels, 446
 Also see Traffic control
 Victaulic coupling, 102
 Violence in the workplace, 494
 Viruses, 19, 290
 Visibility, clothing for worker safety, 432
 Voltage imbalance, 197–201
 Volume-related charges, 578
 Vortex, 27
 Vulnerability assessment, 267, 530

W

Wastewater facilities, 7
 Water
 acid rain, 2
 audits, 204, 575
 conservation
 See Conservation
 contamination, 2
 costs, 2
 cycle, 4
 efficiency program, 579
 evaporation, 4
 groundwater, 7, 11
 irrigation runoff, 2
 seawater intrusion, 3, 8
 shortages, 2
 sources, 11
 surface, 6, 11
 table, 7
 treatment, 10, 11
 water quality problems, 11
 Waterborne diseases, 286
 Water hammer, 44, 47, 83, 207, 234
 Water mains
 See Mains, water

Water quality
 aesthetics, 12
 biological, 18, 54
 chemical, 18, 54
 consumer demands, 10
 contaminants, 18
 control, 18
 degradation, 23
 distribution systems, 15–28
 health, 15, 93
 internal parasites, 18
 monitoring, 27, 173
 Also see Monitoring, water quality
 parasites, 18
 pathogenic organisms, 19
 physical, 14, 18, 54
 primary regulations, 12
 problems, 11, 15, 54, 55, 93, 212
 radiological, 14
 secondary drinking water
 regulations, 12
 standards, 12
 surveillance, 169, 173
 temperature, 23
 trihalomethanes (THMs), 11
 troubleshooting, 27–28, 54, 55
 Water rates, 2, 515
 WaterSense, EPA partnership program, 580
 Water shortage allocations, 578
 Water supply systems
 chlorination equipment, 358
 description, 3–9
 distribution systems, 9, 15, 19
 sources, 4
 storage facilities, 9
 threat response, contamination, 536
 treatment facilities, 9
 Water table, 7
 Water treatment plants
 costs, 3, 10
 objectives, 10
 purpose, 29
 water quality problems, 2
 Water waste prohibition, 579
 Weighing, chlorine containers, 363
 Welded joints, 105
 Wells
 abandoning, 405
 disinfection, 311, 374
 plugging, 405
 safety, 400, 402, 403
 yield, 8
 Wet-barrel hydrants, 145
 Wet inspection, 57
 Wet tapping, 131
 Wholesale agency assistance programs, 577
 Withdrawal rate, chlorine, 335, 362
 Worker Right-To-Know (RTK) laws, 544–556
 Worker visibility, clothing for safety, 431

Working conditions, 485
Working in streets, safety, 411–455
Work injuries, causes, 387
Work orders, 260
Wrench, chlorine container valve, 336
Written communication, 503–505

Y

Yield, wells, 8
Yoke-type connectors, 335

Z

Zinc, SMCL (secondary maximum
contaminant level), 14
Zinc orthophosphate, 251
Zone of saturation, 7

Preview